



# TECNIA INSTITUTE OF ADVANCED STUDIES GRADE "A" INSTITUTE

Approved by AICTE, Ministry of HRD, Govt. of India, Affiliated to GGSIP University  
Recognized Under Sec. 2(f) of UGC Act 1956

**INSTITUTIONAL AREA MADHUBAN CHOWK, ROHINI, DELHI 110085**

Tel: 91-11-27555121-24, E-Mail : [directortias@tecnia.in](mailto:directortias@tecnia.in), Website: [www.tiaspg.tecnia.in](http://www.tiaspg.tecnia.in)



21001:2018  
Management Systems for  
Education Organizations



51001:2018  
Energy Management Systems

## 13. General Parameters about the Institution

- (i) Individual Computing Facility Provided to Teachers
- (ii) Institution Website URL
- (iii) Common Rooms for Girls (separate)
- (iv) Cleanliness of toilets
- (v) Students' canteen and drinking water arrangements

*Individual seating arrangements for faculty with suitable furniture*



**Dr. Nivedita, Faculty**



**Dr. Archana Dixit, Faculty**



**Dr. Shaheen Bano, Faculty**



**Dr. Ruchi Srivastava, Faculty**



**Dr. Garima Singh, Faculty**



**Dr. Kanika Gupta, Faculty**




**Dr. Gopal Thakur, Faculty**



**Dr. Rajnesh Kumar Pandey**




**Dr. Deepak Sonker, Faculty**




**Ms. Geetika, Faculty**



**Dr. Surbhi Jain, Faculty**



**Ms. Megha Sharma, Faculty**



**Mr. Mayank Arora, Faculty**


## Common Rooms for Girls (Separate)



## Cleanliness of toilets



## Students' canteen and drinking water arrangements



## DRINKING WATER

Institute has provided water coolers on almost every floor which provide cool water especially in the summer season to the students. The coolers are also fitted with Acquaguard and RO System for purification of water so that the water may be made germs free. The water coolers and the Acquaguard both are clean periodically under the supervision of the Administrative office



*Potable Water, Water Cooler with Ro System*



*Potable Water, Water Cooler With Ro System*



**STOP CORONA:**  
I. Wear Mask.  
II. Follow Physical Distancing.  
III. Maintain Hand Hygiene.

## Delhi Jal Board (दिल्ली जल बोर्ड)

(Government of NCT of Delhi)

[www.djb.gov.in](http://www.djb.gov.in)

Regular Water Bill



SAVE RAIN WATER  
INSTALL RAIN  
WATER HARVESTING



Catch the Rain

Catch the Rain

<b>Name(नाम):</b> HEALTH EDUCATION SOCIETY (REGD) <b>Address(पता):</b> PLOT NO-3, P.S.P-4, SEC-14, ROHINI, Delhi, 110085 <b>Mobile No. . (मोबाइल):</b> 8586873258 <b>Zone/Loc (क्षेत्र / स्थान):</b> / Rohini <b>Area Code (एरिया कोड):</b> A-187 <b>MR Code (एमआर कोड):</b> 888/METERED  <b>KNO(केएनओ):</b> 3929560000	<b>Consumer Category(उपभोक्ता श्रेणी):</b> CAT II <b>Premise Detail (परिसर विवरण):</b> (No of floors-1) <b>Meter No. (मीटर संख्या):</b> M3929560000 <b>Meter Type (मीटर का प्रकार) (DJB/Pvt):</b> PVT <b>Bill No. (बिल संख्या):</b> 392664676606 <b>Bill Cycle(बिल चक्र):</b> ZALL(2023-03) <b>Bill Basis(बिल आधार):</b> REGULAR	<b>Bill Date(बिल की तिथि)</b> <b>16-AUG-2023</b>
		<b>Bill Amount (Rs.) (बिल राशि (₹) )</b> <b>860</b>
		<b>Bill Amount Payable (Rs.) (देय बिल राशि (₹) )</b> <b>(Nearest up to Rs. 10) (लगभग 10 ₹ तक)</b> <b>860</b>
		<b>Bill Due Date(बिल देय तिथि)</b> <b>02-SEP-2023</b>
		<b>Amount Payable After Due Date(Rs.)</b> <b>(देय तिथि के बाद देय राशि (₹) )</b> <b>903</b>

Meter No (मीटर संख्या)	UoM	Current Meter Read (मीटर की वर्तमान रीडिंग)		Previous Meter Read (मीटर की पिछली रीडिंग)		Consumption (खपत)	
		Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Meter Reading Date (मीटर रीडिंग की तारीख)	Reading / Meter Status (रीडिंग / मीटर स्थिति)	Days (दिन)	Units (यूनिट)
M3929560000	KL	16-AUG-2023	1945 / OK	14-JUL-2023	1930 / OK	33	15

Bill Details: Current Period Charges (बिल विवरण: वर्तमान अवधि शुल्क) (14-JUL-2023 to 16-AUG-2023)		
Applicable Rate Period	Description	Amount(Rs.)
15-JUL-2023 to 16-AUG-2023	Total Consumption Charges	337.30
15-JUL-2023 to 16-AUG-2023	Sewerage Charge (80 % of Water Consumption Charge)	202.38
15-JUL-2023 to 16-AUG-2023	Service Charge - Consumption between 6-15 KL	322.10
15-JUL-2023 to 16-AUG-2023	Sub Total Bill Amount without Meter Rent	861.78
15-JUL-2023 to 16-AUG-2023	Subtotal Bill Amount	861.78
	Adjustment Details Are Listed Below	

**Arrear, If any (Rs.) (बकाया, यदि कोई (₹))** -1.99

**Total Consolidated Bill Amount Payable (Rs.) (कुल समेकित बिल राशि देय (₹))** 860

**Late Payment Surcharge (Rs.) (देर से भुगतान पर अधिभार)** 42.9  
 (5% surcharge will be applicable after due date) (देय तिथि के बाद अधिभार के साथ राशि (₹)) 9

**Amount with LPSC after due date (Rs.)** 903  
 (देय तिथि के बाद अधिभार के साथ राशि (₹))

### PAYABLE AMOUNT TO AVAIL REBATE SCHEME (Rs.) (घट जोड़कर के लिए देय राशि (₹))

Bill History (पिछला बिल)					Payment History (पिछला भुगतान)				
Bill from Date	Bill to Date	Days	Reading	Status	Units	Amount(Rs)	Receipt Id	Amount(Rs)	Date
19-MAY-2023	14-JUL-2023	56	1930	OK	35	2619	392502342244	2820.00	27-JUL-2023
24-MAR-2023	19-MAY-2023	56	1865	OK	30	2227	392425356946	2230.00	14-JUN-2023
11-JAN-2023	24-MAR-2023	72	1865	OK	20	1338	392647631280	1340.00	06-APR-2023
09-NOV-2022	11-JAN-2023	63	1845	OK	30	1705	392441863356	1710.00	25-JAN-2023
19-SEP-2022	09-NOV-2022	51	1815	OK	25	822	392625814823	820.00	18-NOV-2022

### Important Message

**If bill is not paid till Bill Due Date- connection may be disconnected** (यदि बिल देय तिथि तक बिल का भुगतान नहीं किया जाता है- कनेक्शन काट दिया जा सकता है)

For any assistance / query : Please call 1916 or [www.djb.gov.in](http://www.djb.gov.in) (किसी भी सहायता / जानकारी के लिए: 1916 पर कॉल करें या [www.djb.gov.in](http://www.djb.gov.in) पर जाएं)



## Delhi Jal Board Bill Payment Counter Foil

Cheque / DD should be drawn in favour of DJB in the following format  
(चेक / डिमांड ड्राफ्ट द्वारा भुगतान करने के लिए निम्न फॉर्मट का उपयोग करें) DJB KNO

KNO(केएनओ)	3929560000	Name(नाम)	HEALTH EDUCATION SOCIETY (REGD)	Bill No. (बिल संख्या)	392664676606
Bill Date(बिल की तिथि)	16-AUG-2023	Bill Due Date (बिल देय तिथि)	02-SEP-2023	Bill Amount (Rs.) (बिल राशि (₹))	860
Bill Amount with LPSC (Rs.): 903 (LPSC के साथ बिल राशि (₹)):	Payment Date/ (भुगतान की तारीख)	Amount Paid(Rs.) (राशि का भुगतान (₹))	Cash/Cheque No./DD No.: (चेक / चेक नंबर / डीडी नं. :)		
Name of Bank / Branch (बैंक / शाखा का नाम)					

# Drinking Water Test Report- Biological



## TEST REPORT

ULR No.:	TC90002300000521F	Issue Date:	11/11/2023	
Test Report No.:	TR320231111004	Group:	Water	
Discipline:	Biological			
Name of Customer (Report issued To):	TECNIA INSTITUTE OF ADV STUDIES Institutional Area, Madhuban Chowk, Rohini, New Delhi 110085			
Name of Manufacturer:	N/A			
Item Description/Particulars Of Sample Submitted:	Said to be, "Drinking water"			
Sample/Item Condition:	Fit for testing			
Identification:	Model:	Serial No.:	Nil	
		Sample Code:	Nil	
Sample Deposited/Collected by:	Customer		Date:	08/11/2023
Customer Reference no.	Nil		Date of receipt:	08/11/2023
Job Order No.:	BTH-R3/CH/231108/15			
Date(s) of performance of tests:	08/11/2023 to 09/11/2023			
Laboratory Name and Address:	BHARAT TEST HOUSE PVT. LTD. 1668 (DIV-II), HSIIDC Indl. Estate, Rai, Distt. Sonapat-131029 Haryana.			
Test Location:	At Lab			
Test Specification(s):	Protocol followed as per IS 10500:2012 with Amendment No. 1, 2, 3 & 4			
General Environmental Conditions:	Temperature: 23°C ± 2°C; Relative Humidity: 65% ± 10% RH			
Result:	The results reported are as per relevant specifications/standards.			
Supplementary Information's:	- Deviation from the test methods as prescribed in relevant Specification/Work Instructions: N/A - The information supplied by the customer may affect the validity of results reported as per standard requirement. - Statement of conformity is not required by the customer. - Authorized signatory is responsible for the results reported by the lab for the requested activity by the customer except for the information provided by the customer.			
Abbreviations:	N/A :- Not Applicable			
Remarks:	1. This report is supplementary with reference to our earlier test report no. TR320231111003 dated 11/11/2023. 2. The report has been generated and verified digitally.			
This report is related to the sample submitted.				
Tested by:	Reviewed by:	Authorized by:		
Rubi	Neha Mandal	Neha Mandal		
Testing Engineer/Analyst	Authorized Signatory/TM/QM/Dy.QM	Authorized Signatory/TM/QM/Dy.QM		
Date: 11/11/2023	Date: 11/11/2023	Date: 11/11/2023		

The NABL Accreditation claimed is valid only for the scope of accreditation as on date of this report, as mentioned on NABL Website.

BTHPL/7.2/01

### BHARAT TEST HOUSE Pvt. Ltd.

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029  
 Tel.: 0130-2974474 | Mob.: 8953000887, 8930260106 | email: bthrai@bharattesthouse.com

(1) The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7 days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.



Sr. No.	Test & Clause reference	Requirements as per IS 10500:2012 with amendment No. 1, 2, 3 & 4	Test Results/ Observations
		Requirement (Acceptable Limit)	
1.	E.coli /100 ml CI 4.1.1, Table 6, S. No (i) of IS 10500: 2012 and IS 15185:2016	Shall not be detectable in any 100 ml sample	Absent/100ml
2	Total Coliform bacteria, MPN /100 ml CI 4.1.1, Table 6, S. No (i) of IS 10500: 2012 and IS 15185:2016	Shall not be detectable in any 100 ml sample	Absent/100ml

.....End of Document.....



The NABL Accreditation claimed is valid only for the scope of accreditation as on date of this report, as mentioned on NABL Website.

BTHPL/7.2/01

**BHARAT TEST HOUSE PVT. LTD.**

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029  
 Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthrai@bharattesthouse.com

(1)The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither Inferred nor Implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.

# Drinking Water Test Report-Chemical



## TEST REPORT

ULR No.:	TC900023000000520F		Page 1 of 2	
Test Report No.:	TR320231111003	Issue Date:	11/11/2023	
Discipline:	Chemical	Group:	Water	
Name of Customer (Report Issued To):	TECNIA INSTITUTE OF ADV STUDIES Institutional Area, Madhuban Chowk, Rohini, New Delhi 110085			
Name of Manufacturer:	N/A			
Item Description/Particulars Of Sample Submitted:	Said to be, "Drinking Water"			
Sample/Item Condition:	Fit for testing			
Identification:	Model:	-	Serial No.:	Nil
			Sample Code:	Nil
Sample Deposited/Collected by:	Customer			
Customer Reference no.	Nil		Date:	08/11/2023
Job Order No.:	BTH-R3/CH/231108/15	Date of receipt:	08/11/2023	
Date(s) of performance of tests:	08/11/2023 to 11/11/2023			
Laboratory Name and Address:	BHARAT TEST HOUSE PVT. LTD. 1668 (DIV-II), HSIIDC Indl. Estate, Rai, Distt. Sonapat-131029 Haryana.		 Scan this QR Code to verify the Report	
Test Location:	At Lab			
Test Specification(s):	Protocol followed as per IS 10500:2012 with Amendment No. 1, 2, 3 & 4			
General Environmental Conditions:	Temperature: 27°C ± 2°C; Relative Humidity: 65% ± 5% RH			
Result:	The results reported are as per relevant specifications/standards.			
Supplementary Information's:	- Deviation from the test methods as prescribed in relevant Specification/Work Instructions: N/A - The information supplied by the customer may affect the validity of results reported as per standard requirement. - Statement of conformity is not required by the customer. - Authorized signatory is responsible for the results reported by the lab for the requested activity by the customer except for the information provided by the customer.			
Abbreviations:	N/A :- Not Applicable			
Remarks:	1. The report has been generated and verified digitally. This report is related to the sample submitted.			
Tested by:	Reviewed by:	Authorized by:		
				
Mohan Prakash	Vinod Nair	Vinod Nair		
Testing Engineer/Analyst	Authorized Signatory	Authorized Signatory		
Date: 11/11/2023	Date: 11/11/2023	Date: 11/11/2023		

The NABL Accreditation claimed is valid only for the scope of accreditation as on date of this report, as mentioned on NABL Website.

BTHPL/7.2/01

## BHARAT TEST HOUSE PVT. LTD.

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029  
Tel.: 0130-2974474 | Mob.: 9053000887, 8930260106 | email: bthral@bharatstesthouse.com

(1) The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7 days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.

Sr. No.	Test & Clause reference	Requirement as per IS 10500:2012 With amendment No. 1, 2, 3 & 4		Test Results/ Observations
		Requirement (Acceptable Limit)	Requirement limit in the absence of alternate source	
<b>A</b>	<b>Organoleptic and Physical Parameter (Table 1)</b>			
	<b>Colour</b>			
1	Cl.4, Table 1, S.No.(i) of IS 10500:2012 & IS 3025-4:1983	5 Hazen units Max.	15 Hazen units Max.	< 5 Hazen units
	<b>Odour</b>			
2	Cl.4, Table 1, S.No. (ii) of IS 10500:2012 & IS 3025-5:2018	Agreeable	Agreeable	Agreeable
	<b>pH value</b>			
3	Cl.4-Table-1, S.No. (iii) of IS 10500:2012 & IS 3025-11:1983	6.5 – 8.5	No relaxation	7.6
	<b>Taste</b>			
4	Cl. 4, Table 1, S.No. (iv) of IS 10500:2012 & IS 3025-8:1984	Agreeable	Agreeable	Agreeable
	<b>Turbidity</b>			
5	Cl.4, Table 1, S.No. (v) of IS 10500:2012 & IS 3025-10:1984	1 NTU Max.	5 NTU Max.	< 1 NTU
	<b>Total Dissolved Solids</b>			
6	Cl.4, Table 1, S.No. (vi) of IS 10500:2012 & IS 3025-16:1984	500 mg/l Max.	2000 mg/l Max.	124 mg/l
<b>B</b>	<b>General Parameters Concerning Substance Undesirable in Excessive Amounts (Table 2)</b>			
	<b>Chloride (as Cl)</b>			
1	Cl. 4, Table 2, S.No. (viii) of IS 10500:2012 & IS 3025-32:1988	250 mg/l Max.	1000 mg/l Max.	11.2 mg/l
	<b>Fluoride (as F)</b>			
2	Cl. 4, Table 2, S.No. (x) of IS 10500:2012 & IS 3025-60:2008	1.0 mg/l Max.	1.5 mg/l Max.	Not detected
	<b>Iron (as Fe)</b>			
3	Cl. 4, Table 2, S.No. (xii) of IS 10500:2012 & IS 3025-53:2003	0.3 mg/l Max.	No relaxation	Not detected
	<b>Total hardness (as CaCO<sub>3</sub>)</b>			
4	Cl. 4, Table 2, S.No. (xxiii) of IS 10500:2012 & IS 3025-21:2009	200 mg/l Max.	600 mg/l Max.	30.4 mg/l

.....End of Document.....



The NABL Accreditation claimed is valid only for the scope of accreditation as on date of this report, as mentioned on NABL Website.

BTHPL/7.2/01

**BHARAT TEST HOUSE PVT. LTD.**

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029  
Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthrai@bharattesthouse.com

(1)The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.